


Univers	Professional
Type	Verticality
Category	Mobile fall arresters
Subcategory	Absorbers for mobile fall arresters



ASAP'SORBER AXESS

Designed for rope access technicians, the ASAP'SORBER AXESS energy absorber must be used in combination with an ASAP LOCK or ASAP mobile fall arrester. It allows you to work at a distance from the rope in order to protect it during certain work phases. Equipped with tear-webbing inside a pouch that opens and can be replaced, the absorber is protected from abrasion. It can be used in two-person rescue situations for a load weighing up to 250 kg.



The ASAP'SORBER AXESS keeps the rope at a distance to free up workspace.

Short Description	Compact energy absorber for use with ASAP LOCK or ASAP, can be used in two-person rescue scenarios
Selling Points	• May only be used with an ASAP LOCK or ASAP mobile fall arrester Compact, durable, and practical energy absorber: - Flexible webbing allows it to efficiently follow the fall arrest device - Durable fabric pouch protects tear-webbing from abrasion and contaminants - Pouch can be opened to easily perform regular inspections - Pouch can be replaced if there is premature wear (ASAP'SORBER AXESS Pouch, SKU L071EC00, available as a spare part) • Limits the impact force experienced during a fall: - Webbing tears progressively - Designed for a user weighing up to 140 kg - Can be used in two-person rescue situations up to 250 kg • The ASAP'SORBER AXESS is particularly suited for rope access technicians that may need to carry out a rescue
Specification	• Certification(s): CE EN 355 used with ASAP or ASAP LOCK, ANSI Z359.13 6 feet, GB/T 24538 • Material(s): Nylon, polyester

Specifications by reference

Reference(s)	L071CC00
Length	40 cm
Weight	140 g
Made in	FR
Guarantee	3 years
Inner Pack Count	1
Quantity Per Box	20
EAN	3342540850132

Spare part(s)	ASAP'SORBER AXESS Pouch
---------------	-------------------------

Accessory(ies)	CAPTIV
----------------	--------

Related product(s)	ASAP® LOCK ASAP® OK Bm'D ASAP'SORBER
--------------------	--