


|             |               |
|-------------|---------------|
| Univers     | Professional  |
| Type        | Products      |
| Category    | Ropes         |
| Subcategory | Dynamic Ropes |



## MAMBO® 10.1 mm

The 10.1 mm diameter MAMBO dynamic rope is designed for work at height professionals who use climbing techniques for progression. The thick sheath improves abrasion resistance.

---

Short Description    Dynamic rope for progression using climbing techniques

---

Selling Points





- Grip makes for easier handling:
  - 40-carrier grip for better control
  - Middle Mark: indicates the middle of the rope, to facilitate maneuvers
- User comfort:
  - flexible rope makes it easier to give slack with belay devices
  - EverFlex technology ensures great flexibility over time and under any conditions (water, dust, mud...), allowing it to maintain consistent handling and optimal performance with devices.
  - ClimbReady Coil: special coil makes the rope ready to use. It helps the user avoid initial uncoiling mistakes, and increases longevity
- Durability:
  - thick sheath provides excellent abrasion resistance
  - UltraSonic Finish: the core and sheath are bonded together at the rope ends by an ultrasonic process. It provides greater durability and prevents frayed ends



---

Specification

- Diameter: 10,1mm
  - Material(s): nylon
  - Certification(s): CE EN 892, UKCA, UIAA
  - Weight per meter: 65g
  - Impact force: 8,5kN
  - Number of factor 1,77 falls: 7
  - Construction: 40 carrier
  - Percentage of sheath: 37%
  - Static elongation: 8,5%
  - Dynamic elongation: 34%
-

## Specifications by reference

| Reference(s)     | R32AC 050   | R32AC 060   | R32AC 070   | R32AD 050   |
|------------------|---|---|---|---|
|                  |  |  |  |  |
| Color(s)         | turquoise   | turquoise   | turquoise   | green   |
| Length           | 50 m  | 60 m  | 70 m  | 50 m  |
| Made in          | DE  | DE  | DE  | DE  |
| Guarantee        | 3 years   | 3 years   | 3 years   | 3 years   |
| Inner Pack Count | 1   | 1   | 1   | 1   |
| Quantity Per Box | 2   | 2   | 2   | 2   |
| EAN              | 3342540833753   | 3342540833760   | 3342540833777   | 3342540833784   |

| Reference(s)     | R32AD 060   | R32AD 070   |
|------------------|---|---|
|                  |  |  |
| Color(s)         | green   | green   |
| Length           | 60 m  | 70 m  |
| Made in          | DE  | DE  |
| Guarantee        | 3 years   | 3 years   |
| Inner Pack Count | 1   | 1   |
| Quantity Per Box | 2   | 2   |
| EAN              | 3342540833791   | 3342540833807   |

---

Related product(s) I'D® S